T 37	1111	Coarch Mout	DB	Time stamp
L Number	2	Search Text   ("6526424").PN.	USPAT;	2004/01/08 12:49
3		( 0520424 )	US-PGPUB;	==== , == , == = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT;	:
			IBM_TDB	
4	1099		USPAT;	2004/01/08 12:54
		((URL or address ) set\$3) same (URL\$1! with	US-PGPUB;	
		(time or schedule or period) with configur\$3	EPO; JPO;	
		or execut\$3 with browser )	DERWENT;	
			IBM_TDB	0004/01/00 10 55
5	6		USPAT;	2004/01/08 12:55
		or address ) with set\$3) same (URL\$1! with	US-PGPUB; EPO; JPO;	
		(time or schedule or period) with (configur\$3 or execut\$3) with browser)	DERWENT;	
		(Configures of executes) with browser /	IBM TDB	
6	4	((709/(203,220,221,223,224)).ccls. and ((URL	USPAT;	2004/01/08 12:56
0	*	or address ) with set\$3) same (URL\$1! with	US-PGPUB;	2001, 01, 00 12:00
		(time or schedule or period) with	EPO; JPO;	
		(configur\$3 or execut\$3) with browser )) and	DERWENT;	
		@ad<20000802	IBM_TDB	
7	1	setting near4 URL\$1! adj5 (start\$3 or	USPAT;	2004/01/08 12:59
		begin\$4 or configur\$3 or trigger\$3) near5	US-PGPUB;	
		browser with (automatic\$5 or dynamic\$5)	EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT;	
		activat\$3)	IBM_TDB	2004/03/00 32 53
8	1	setting near4 URL\$1! with (start\$3 or	USPAT;	2004/01/08 12:59
		begin\$4 or configur\$3 or trigger\$3) with browser with (automatic\$5 or dynamic\$5)	US-PGPUB; EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT;	
		activat\$3)	IBM TDB	
9	1	setting near4 URL\$1! with (start\$3 or	USPAT;	2004/01/08 12:59
	-	begin\$4 or configur\$3 or trigger\$3) same	US-PGPUB;	
		browser with (automatic\$5 or dynamic\$5)	EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT;	
		activat\$3)	IBM_TDB	
-	5	configur\$5 with (browser adj setting)	USPAT;	2003/07/08 13:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	105	configur\$5 with (browser with setting)	<pre>IBM_TDB USPAT;</pre>	2003/07/08 13:42
-	105	Configuration (blowser with secting)	US-PGPUB;	2003/07/08 13.42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	42	(configur\$5 with (browser with setting)) and	USPAT;	2003/07/08 13:47
		@ad<20000802	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(Line Norma and Norman and American Art) 1	IBM_TDB	2002/07/00 12:40
-	0	(time-based adj browser adj configur\$5) and	USPAT; US-PGPUB;	2003/07/08 13:48
		@ad<20000802	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	((time or period\$6 or schedul\$3) near2	USPAT;	2003/07/08 13:57
		browser near2 (configur\$5 or reconfigur\$5))	US-PGPUB;	','''
		and @ad<20000802	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	61	((time or period\$6 or schedul\$3 or	USPAT;	2003/07/08 15:46
		automatic\$4) near3 (configur\$5 or	US-PGPUB;	
		reconfigur\$5) with browser) and @ad<20000802	EPO; JPO;	
			DERWENT;	
		//time on poriodes on achadules on doub with	IBM_TDB USPAT;	2003/07/08 16:30
-	169	((time or period\$6 or schedul\$3 or day) with set\$4 with browser) and @ad<20000802	US-PGPUB;	2003/07/00 10:30
		perba with biomper) and madesononess	EPO; JPO;	
			DERWENT;	
			IBM TDB	
				L

-	56	(time or period\$6 or schedul\$3) near6 browser near3 (configur\$5 or reconfigur\$5 or set\$4) and @ad<20000802	USPAT; US-PGPUB; EPO; JPO;	2004/01/07 11:07
			DERWENT;	
_	662	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with display\$2 with (time or range or period) and	USPAT; US-PGPUB; EPO; JPO;	2004/01/07 11:11
		@ad<20000802	DERWENT; IBM TDB	
_	0	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with display\$2 with (time or range or period) same (browser adj setting) and @ad<20000802	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 11:10
_	0	(configur\$5 or reconfigur\$5 or set\$4) near4	IBM_TDB USPAT;	2004/01/07 11:10
		(page\$1! or site or address or url) with display\$2 with (time or range or period) same (browser adj set\$4) and @ad<20000802	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	0	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with display\$2 with (time or range or period) and	USPAT; US-PGPUB; EPO; JPO;	2004/01/07 11:10
_	323135	(browser adj set\$4) and @ad<20000802 browser with (automatic\$4 or dynamical\$4)	DERWENT; IBM_TDB USPAT;	2004/01/07 11:13
		<pre>with display\$3 (predetermin\$3 adj (time or schedule or period or range))</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	3	browser near4 (automatic\$4 or dynamical\$4) with display\$3 with (predetermin\$3 adj (time or schedule or period or range))	USPAT; US-PGPUB; EPO; JPO;	2004/01/07 13:35
-	2004	(browser near3 set\$4) nerr5 (present\$3 or display\$3) near4 (page\$!! or site or	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/07 13:36
		displays; heart (pages: of site of document or URL) with (predetermin\$3 adj (time or schedule or period or range))	EPO; JPO; DERWENT; IBM TDB	
-	1	(browser near3 set\$4) near5 (present\$3 or display\$3) near4 (page\$!! or site or document or URL) with (predetermin\$3 adj (time or schedule or period or range))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 13:37
-	3	(browser near3 set\$4) near5 (present\$3 or display\$3) near4 (page\$!! or site or document or URL) with ( (time or schedule or period or range))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 13:39
-	40	(browser near3 set\$4) near5 (present\$3 or display\$3) near4 (page\$!! or site or document or URL)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/07 13:43
_	18		DERWENT; IBM_TDB USPAT;	2004/01/08 12:41
		display\$3) near4 (page\$!! or site or document or URL) ) and @ad<20000802	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	1959115	((set\$3 or configur\$3) near4 browser\$1! with (automatic\$5 or dynamic\$5) nea3 (display\$3 or present\$3)) and @ad<20000802	USPAT; US-PGPUB; EPO; JPO;	2004/01/07 13:50
-	4	((set\$3 or configur\$3) near4 browser\$1! with (automatic\$5 or dynamic\$5) near3 (display\$3	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/07 13:52
		or present\$3)) and @ad<20000802	EPO; JPO; DERWENT; IBM_TDB	

_	5		USPAT;	2004/01/07 14:02
		or present\$3) near4 bookmark) and	US-PGPUB;	
		@ad<20000802	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	"browser settings" and @ad<20000802	USPAT;	2004/01/07 14:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	browser near3 set\$4 near4 schedul\$3 and	USPAT;	2004/01/07 14:18
1		@ad<20000802	US-PGPUB;	<u> </u>
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	browser near3 set\$4 with (schedul\$3 or	USPAT;	2004/01/07 14:19
		(time adj bas\$4)) and @ad<20000802	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6313835").PN.	USPAT;	2004/01/08 10:26
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	}		IBM_TDB	
-	721056	1, 13	USPAT;	2004/01/08 10:27
		ajd address\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	, , ,
-	6	1	USPAT;	2004/01/08 10:27
		adj address\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	1